

BackBoxx Brochure

BackBoxx™

Save time and money while meeting new tight-seal building codes!

- BackBoxx™ patented design protects in-wall/ceiling speakers from harmful moisture and dirt.
- Keeps loose insulation out of eyes while installing in-ceiling speakers.
- Maintains vapor barrier integrity to meet new “tight building” codes.
- ‘Bulleye’ design lets you make more accurate speaker cuts on retro-fits.
- Full 3-1/2” depth to accommodate large-magnet speakers.
- Attaches quickly to studs with staple gun.
- Fits both 16” and 24” on-center studs and ceiling joists. Adjustable for smaller cavities.
- Rugged and lightweight, yet flexible in cold temperatures.
- Store flat for easy inventory and transport.



PART#
BB2416

DESCRIPTION
BACKBOXX SPEAKER SURROUND

PKG/QTY
48



BackBoxx™ Popp™

The new deep BackBoxx™ Popp™, with its soft, flexible back wall, is our deeper speaker surround for all in-ceiling speakers, providing up to, and over 9-1/2” in depth, when needed. The convex back wall eliminates the need for acoustical dampening because back-pressure sound waves are dispersed.

PART#
BBPP

DESCRIPTION
BACKBOXX POPP SPEAKER SURROUND

PKG/QTY
24



KrushGuard™

We've done it for you again, installers! No more worrying about spray foam insulation crushing your BackBoxx™ locations. Introducing KrushGuard™.

PART#	DESCRIPTION	PKG/QTY
KGBB	KRUSHGUARD FOR BACKBOXX	25



BackBoxx JR™

Use BackBoxx™ Jr.™ behind each junction-box and plaster ring on your next installation to prevent wiring damage by routers or drywall finishing.

- Flexible material easily cuts and slides to adjust for narrower stud widths.
- Patented design maintains vapor barrier integrity behind j-boxes and plaster rings to meet new "tight building" codes.
- Protects in-wall components from harmful blown insulation, moisture and dirt.
- Protects long wire leads safely behind drywall during drywall installation, taping and painting by allowing wire coil to be stored in cavity.
- "Bulleye" backwall design lets you make more accurate wall cuts on retro-fits.
- Deep 3-1/2" construction is also perfect for backless j-boxes and plaster rings.
- Attaches quickly to studs quickly with staple gun.
- Rugged and lightweight, yet flexible in cold temperatures

PART#	DESCRIPTION	PKG/QTY
BBJR	BACKBOXX JUNIOR	48



BackStopp™
Acoustic Speaker Insert

Absorb distortion-producing reflected waves and reduce sound transmitted through walls.

- Absorbs harmful reflected waves that cause speaker distortion.
- Helps balance mid-range response and “tighten” sound cavity acoustics.
- Reduces sound transmitted through back wall into others rooms.
- Adds ‘R value insulation to BackBoxx™ installations.
- Effective on all open-back drivers.

PART#	DESCRIPTION	PKG/QTY
BSPP	BACKSTOPP ACOUSTIC SPEAKER INSERT	3PR



BackBoxx™ TonerCoil™
Wire Locator

Never lose a prewire lead again! Use TonerCoil™ to position wire stub outs at any point in wall or ceiling cavities. Use it for all types of prewire applications -- with or without BackBoxx™! Use TonerCoil™ in one of three ways:

- **Stub out:** Staple TonerCoil™ across wall studs or ceiling joists -- push wire through any of the pre-punched starburst holes to stub out -- it’s that easy. You can even mark any special instructions to the drywall installer on the face of the TonerCoil™.
- **Prewire:** Don’t drop a wire into the wall when you’re fishing out a prewire...attach TonerCoil™ between wall studs or ceiling joists and coil the wire for later tone-out -- no need to use wire staples to hold wire in place (which may damage wire during later removal).
- **BackBoxx™:** Fit TonerCoil™ into BackBoxx™ for perfect prewire alignment and location for all barrier-mandated applications -- keeps insulation away from components and out of eyes.

PART#	DESCRIPTION	PKG/QTY
TC24	TONERCOIL WIRE LOCATOR	24



BackBoxx™ Coax Tool

Connector Installer / Remover

Save frustration and shredded fingers... use Coax-Tool™ to install tight F-connector fittings on RG-6 Quad, RG-6 or RG-59.

- CoaxTool™ is made of high quality steel and chrome plated for years of service.
- Available in two sizes.
- CoaxTool™ has a tapered end to pre-spread the cable braiding so the F-connector goes on snugly, sliding into the proper position without a struggle. Now you can install F-connectors without having to spin them, possibly pushing the braiding away from the connector and resulting in a bad termination.
- The other end of CoaxTool™ is a threaded end to which you can attach F-connectors for more leverage while installing, or to grip uncrimped F-connectors for removal without damage. The T-handle helps prevent slipping during any operation.

PART#
CTRG6

DESCRIPTION
COAX TOOL

PKG/QTY
1



WireWaxx™

Cable Lubricant

Smoother wire pulls with no oil or soap!

- Helps prevent damage or burn to cables when pulling around tight turns or through conduit.
- Quick spray-on application leaves hands clean.
- Very slippery formula with no oily residue.
- Specially formulated for plastic conduits.
- Won't harm PVC jacket wires.
- Won't gum up after drying.
- Spills clean up with water.
- Flows well in cold temperatures

PART#
WW32

DESCRIPTION
WIREWAXX CABLE LUBRICANT

PKG/QTY
1

Pacific Cabling Solutions is a Canadian owned specialty distributor providing Audio, Video, Voice, Data, Automation & Security Products and Solutions.

Prepaid Freight Values:

British Columbia	\$750.00
Queen Charlotte Islands	\$1500.00
Alberta	\$750.00
Saskatchewan	\$1500.00
Yukon & NWT	\$1500.00
Manitoba, Ontario & Quebec	\$1000.00 (Wire not included)
Atlantic Canada	\$2500.00

Complete price lists are available for all of our vendor partners, please visit the PCS Home Page and select the "Price List Index" link on the menu bar. Please contact your customer care representative for your user name and password.