

ICE



ICE CABLE SYSTEMS | PRODUCT CATALOG

High-performance, low-voltage, wire and cable. There's innovation in every foot.



ICE
CABLE SYSTEMS

ICE
CABLE SYSTEMS

Green Market
LEAD-FREE
Complies with the Restriction
of Hazardous Substances
(RoHS) directive.

RECYCLED PAPER
PRINTED IN ITALY
LASC

CONTENTS

INNOVATIONS

Welcome to ICE	3
Does Buying Premium Cable Really Matter?	4
Big Mouth Payout Box	5
HDMI Technology	7
Connector Technology	9
Cable Technology	11
The Cable Foundation	13
Standards and Performance.....	14
How It's Made	15

PRODUCT HIGHLIGHTS

Data / Category Cable.....	17
Primal Cable	18
HDBaseT Certified Cable	19
Speaker Cable	20
Coaxial Cable.....	21
Alarm Wire and Audio Cables	22
Structured Wiring / Bundled Cables	23
Automation Cables and Fiber Optics	24
Lutron Cables	25
Prewire Accessories	26
Clear Series 2 HDMI	27
Field Terminable HDMI	28
Wall Plates and Trim.....	29
Patch Cables	30
Connectors and Tools	31
Plenum A/V Cables	32
Competitor Cross Reference.....	33
Contact ICE	34

CABLE. DONE RIGHT.



Brian Rizzo
CEO and Founder of ICE Cable Systems

Welcome to ICE

We have the same level of passion for wire and cable products that many hold for their audio and video components. Founded in 2004 by president Brian Rizzo and headquartered in Los Angeles, we're a leading manufacturer of premium low-voltage wire and cable products. Our warehouses are located in Los Angeles and Atlanta and we inventory a complete lineup of cable and accessories including: data, speaker, coaxial, alarm, structured, fiber, control and automation cable. The channels we serve include Residential and Commercial Audio Video, Alarm and Security, Electrical Contracting and Data Centers.

The ICE Advantage

ICE primarily focuses on three main categories - Bulk Cable, HDMI Cable, and Compression Connectors, although we offer a lot more than that. In each of these product categories you'll notice a consistent theme. That is, we build superior products with a number of time saving and performance enhancing innovations which represents a state-of-the-art offering in each category. The key is that we offer these products for the same or less money than the competition. That's what ICE is all about; we give you the good stuff for the price of the generic stuff.

Building Better Products

We understand what you do. We know what it's like to walk in your shoes and that's driven us to create product innovations that make your installations faster, more efficient and hassle-free. In addition, all of our products are carefully engineered to strict standards and specifications enhancing reliability and performance. We keep you working when other products slow you down. The result? Products that are different and better in every way possible.

Get the Products You Need Fast

ICE Cable Systems is one of the few suppliers to offer a complete one-stop-shopping solution with a wide, varied and exciting selection of products. Integrators can buy ICE directly from us or our vast network of distributors in the United States and around the world. With over 50 distributors, you can expect same-day or next-day delivery no matter where you're located. If you're buying directly from us, we can reach any US destination in 2 days or less.

Welcome to ICE. We think you'll be impressed.


Brian Rizzo
CEO and Founder

Does Buying Premium Cable Really Matter?

Definitely. Here's why...

Copper shaving is the number one technique manufacturers use to save money on cable. High copper prices have pressured manufacturers into keeping prices low. In response, they cut corners on the product, resulting in compromised cable. Many of these cables are not UL listed or have fake UL listings and are a major safety hazard. In short, they are destroying the performance and safety to save a buck. ICE builds your product to full specification and we go a step further by adding time-saving innovations while maintaining aggressive prices.

- ▶ **Copper shaving equals compromised performance**
- ▶ **Fake UL products equals safety hazards**
- ▶ **Many other tactics that rob you and your customers**
- ▶ **Why put your reputation on the line to save money?**

3 Reasons Why Using ICE Cable Will Save You Time and Money.

Properly Built Cable

Our cables are built to full spec using the proper amount of copper and compounds. With ICE, you get full performance and safety along with the peace of mind that comes with getting what you pay for.

- ▶ **Cables built with the proper amount of copper**
- ▶ **All cables are UL or ETL listed for guaranteed safety**
- ▶ **Full performance required by today's equipment**

Intelligent Cable Design

Faster pulling boxes and easier stripping cables are just two examples of how we help you reduce labor costs and save money. Our product innovations are designed to save you money on soft costs.

- ▶ **Reduce soft costs on labor**
- ▶ **Smarter solutions for easier installs**
- ▶ **Save even more with inventory consolidation**

Below Market Pricing

We know the competition so you don't have to. When compared to other legitimate manufacturers of wire and cable, ICE is less expensive. We call this "Below Market Pricing". Now you can get the good stuff and save money, too.

- ▶ **Less expensive than the "Big Guys"**
- ▶ **Save money without sacrificing product quality**
- ▶ **Competitive freight and buying programs**

The Pull Box. Done Right.

Less hassle. More productivity.

Spend more time working. Our Big Mouth Payout and unique cable winding pattern makes for easier pulls and less hassle. Other features such as reinforced handles, water resistant paper laminate and newly upgraded 24kg burst test cardboard, make this the most solidly built box in the industry.

Try it once and you'll never go back.



Features



Big Mouth Payout

Our 4-inch payout hole results in free flowing cable; eliminating kinks, knots, tangles and other pulling problems.

- ▶ Significantly improves LAN cable performance
- ▶ Faster and smoother payout of all cables
- ▶ Used on all boxed bulk wire and cable

Cable Winding Pattern

Save time where you least expect it. Combined with our BMP payout hole, our unique cable wind means less time hassling with wire and more time working.

- ▶ Increases the bend radius of all cables
- ▶ Significantly improves LAN cable performance
- ▶ Faster and smoother payout of all cables



24kg Burst Test Cardboard



Translation?
Really. Strong. Cardboard.

- ▶ Holds up to job site abuse
- ▶ Lasts longer under tough conditions


Reinforced Handles



Dual-layer reinforcements mean the days of ripping your handles are over.

- ▶ Maintains box integrity
- ▶ Tougher, stronger and more rugged

Water Resistant Paper Laminate



Protects the box from water damage and prevents "soggy cardboard."

- ▶ Keeps the cable dry
- ▶ Keeps the box pulling

HDMI. Done Right.

GRIP Lock Technology. Inspiring, yet completely simple.

With GRIP Lock technology, ultra-compact head design and 100ft performance, we've crafted the ultimate HDMI Cable. Our Clear Series 2 ranges from .5m to 30m and features 12 pounds of connector pull force, ensuring your connection stays secure and protected. This means: reliable installations, fewer service calls, the elimination of baluns and state-of-the-art performance.

This is a wish list of HDMI cable technology at extremely competitive prices.



Features



3D


3D Ready

FULL
HD

1080P

4K

ULTRA HD



Ethernet

Clear Series 2 HDMI Features



GRIP Lock Technology

Special springs on the HDMI plug provide a secure grip to the female connector. The result? Over 3x the strength found in conventional HDMI connectors, giving you the most stable connection possible. No screw hole. No push release.

Compact Head Design

At only 21mm long, our Series 2 cable is now 40% shorter than our previous model. We also reduced the width and made it thinner, giving you easier access in tight spaces.

1080p/60hz up to 100 Feet

Until now, our HDMI cables have been able to achieve 1080p/60Hz up to 50 feet. Active chipsets and advances in cable technology have allowed us to achieve 1080p/60Hz all the way out to 100 feet. This gives you a direct connection between your source and display, eliminating unnecessary connection points versus a standard balun setup.

The Perfect Tension

At 12lbs of pull force, the connector won't come out with normal use. But if your TV falls off the wall, it will pull free, leaving your equipment undamaged. Other locking HDMI cables have way too much pull force, or even a screw, which can result in damage to your TV.

Eliminate Unnecessary Service Calls

There's nothing worse than having to drive across town in traffic, only to find your client's cable was unplugged. We understand, we live in Los Angeles. At only 3lbs of pull force, it doesn't take much for regular HDMI cables to pull out of their connection and lose signal. With GRIP, it's problem solved.

Connectors. Done Right.

Our FLC Connectors are easier to terminate and more universal than any connector on the market.

Our new Ferrule-Less Connector (FLC) design eliminates failures and reduces installation time.

If you're tired of wasting expensive connectors that don't work – this is your solution.




The Ultimate Compression Connector System

Easier to Terminate



The ferrule-less design fits easier, terminates faster and has no obstruction. Get a proper fit without the need to be “perfect”. You’ll be amazed at how much easier these are to terminate than standard connectors.

Elimination of Failures




Without a ferrule, it’s “push and compress”. Most compression failures come from the cable not seating properly in the ferrule. With FLC, that’s all history. We have effectively eliminated the concept of “seating”.

Reduced Install Time



Simply put, they take less time to install. With less force, effort and accuracy required for installation, you’ll fly through your connections.

Easy to Test



Our see-through window gives you full visibility so you can be sure the cable is fully inserted. Failures are virtually eliminated, but to be 100% sure, each one can be fitted and tested before final crimping.

Universal Fitment



Since FLC connectors fit a wider range of cable than other connectors, we give new meaning to the term Universal. Standard ferrule designs leave little tolerance for different sized dielectrics.

1 Piece Designs



Clean and simple. No more fumbling for the center pin that dropped on the floor. We’ve considered all the problems of compression connectors and built in the solutions.

Better in Every

Direct Burial Ratings

Our 12, 14 and 16 gauge FX Series speaker cables are Direct Burial rated, saving you the money and hassle of having to buy two different cables for indoor/outdoor applications. This means less inventory for you to buy and stock in your trucks.

Rip Cord

All of our cables have rip cords, to make the cables as easy to strip as possible. This is one area where many manufacturers try to cut corners.

ROOM: ENT KIT MBR BR1 BR2



"ROHS" 360/140FT

iLabel Print Legend

iLabel is a print legend to help you identify and pre-mark your cable for each ROOM, WALL and JACK location – and it's printed on every one of our cables. The location and application information can be circled with a Sharpie. Each room is designated with an abbreviation that tells you specifically where the cable is going (ie. BR1, GAR, KIT, etc.).

Ascending / Descending Foot Markers

Less scrap! Our foot markers show how much cable has been used and how much is left - before you pull the cable. This reduces waste and helps you make use of all the cable in each box or spool. Foot markers are printed every 2 feet on our cables.

Way Possible...

Wet Slick Jackets

The special PVC compound gives the cable a shiny look and a slick feel, resulting in less friction, easier pulls and more flexibility than a regular, chalky PVC jacket. It costs more to build, but it's worth it. Once you use it, you'll never go back to regular PVC.

EZ Strip Tissue

This gives you faster stripping speaker cable. Have you ever stripped a PVC jacket in warm weather? The jacket sticks and it can be quite an exercise. We place a thin layer of tissue around the conductors and under the outer jacket. Once the jacket is scored, it slides off easily, with no effort.

ICE CABLE SYSTEMS



Round Jackets

To help you avoid snags when pulling cable, we've made our jackets as round as possible. Lesser designs require filler material to achieve this, and that makes the cables more expensive and messy when stripping. We avoid fillers entirely and replace them with good, solid engineering.

Oxygen Free Copper

We use Oxygen Free Copper (OFC) in our FX Series speaker cables to ensure premium sound quality in your systems. Higher purity copper means better low level signal transmission and great sound.

The Cable Foundation

Building cable to the optimal safety and performance specifications is the foundation of what we do.

Building it the Right Way

Our starting point as a company is that everything we build is made to the proper specification. This means if your Cat5e is supposed to have .51mm of copper, it has .51mm of copper. For us, it's all about safety and performance. Cables that are properly built are safer and perform better. With all-time highs in the copper market, massive amounts of pressure have been put on cable factories to keep prices low and stay competitive. In response, many factories cut corners to save

money - but not at ICE. Wire and cable is the structural backbone of your systems. While there are many good places to save money on an installation, core infrastructure is not one of them. Once connected, electronic equipment requires a certain level of cable performance in order to function as the manufacturer intended. **When you compromise the cable, you never know what you're going to get.**

Rolling the Dice

We've seen many systems fail from the use of compromised cable. With system failure a possibility, you can see the importance of using properly built cable.

How Does this Happen?

Copper is expensive. Shaving copper - the practice of using less copper than is required, is the number one technique used by most manufacturers. Other deceptive tactics to save money include using non-UL compounds and foot markers shorter than one foot. That's just for starters.

Go with the Sure Thing

All of ICE's cables are UL or ETL listed and RoHS compliant. We use full copper and flame retardant compounds, so you can be certain your cables will perform as advertised and your installations are safe. Now you can have full confidence that you're getting the good stuff.



Standards and Performance

Here's what you need to know about ICE's safety compliance.

UL and ETL




All of our cables are UL or ETL Listed, except for SKU's built for the international market that don't carry the requirement. UL and ETL are testing and regulatory organizations that ensure compliance with a growing list of requirements that protect consumers and their property against a range of issues. Some of these issues include: electric shock, burns and electric arcing.

RoHS Compliant Cable



Customers want more sustainable products. ICE satisfies this by offering only environmentally friendly cable that is fully RoHS compliant. RoHS is the European standard for the restriction of hazardous substances, such as lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls and polybrominated diphenyl ethers. This is further assurance that the products we sell are manufactured responsibly.

NEC Reference Chart



HDMI Performance

Length	Bandwidth	1080p @60Hz	Deep Color ^{36-bit}	4K Limit
0.5m	High Speed (10Gbps)	Yes	Yes	60Hz
1m	High Speed (10Gbps)	Yes	Yes	60Hz
2m	High Speed (10Gbps)	Yes	Yes	60Hz
3m	High Speed (10Gbps)	Yes	Yes	60Hz
5m	High Speed (10Gbps)	Yes	Yes	30Hz
7.5m	Standard (6.7 Gbps)	Yes	Yes	24Hz
10m	Standard (6.7 Gbps)	Yes	Yes	24Hz
15m	Standard (6.7 Gbps)	Yes	Yes	24Hz
23m	Standard (6.7 Gbps)	Yes	Yes	24Hz
30m	Standard (6.7 Gbps)	Yes	Yes	24Hz





BEHIND THE A LOOK AT HOW WE BUILD BETTER WIRE AND CABLE CURTAIN

In 2004, ICE was born. We were the new guy on the block and we partnered with numerous factories in the USA to make our cable. We grew quickly and soon attempted to make many of the innovations we now offer, but ran into a brick wall. The US factories were rigid and primarily concerned with keeping their production lines running to service the big guys. A byproduct of their rigidity was product sameness and a complete lack of innovation. To build it right, we had to do it ourselves.
















In 2006, we took our designs to China and partnered with some of the most advanced wire and cable factories in the world. It took two or more US factories to build what one of ours could do. These factories featured state-of-the-art machinery, engineering, full UL compliance and were eager to learn. The attitude was refreshing. At each stage in the manufacturing process, we hand picked each of our key suppliers who could deliver on the innovations we build. This allowed us to have 100% control over the features and quality of the product you know today.

The manufacturing process is like a symphony, there are a lot of moving parts and timing is everything. The manufacturer has to partner with numerous outside companies to secure all of the raw materials, including vendors for copper, cardboard boxes, spools, packaging materials and many types of specialized compounds. For ICE, these vendors have special, custom-built materials that have to be made and shipped on time in order for things to flow. Extensive testing and quality control procedures are then required to ensure the final product will meet our specifications.

This is just the beginning. Once built, the cable has to go through a long trip from China to the United States and there are lots of steps involved before the product lands on our shores. After many years of driving the design, manufacturing and supply chain process, the act of building and shipping the industry's best wire is down to a science. The result is a product that's a cut-above what's being built in the United States.



How
It's
Made.



Data / Category Cable

We have the Data cables you're looking for such as Non-Plenum, Plenum, Shielded, Direct Burial and more. In addition to our complete line of ICE Category cables, we introduced Primal Cable, which includes premium features priced for the economy.

Using the Right Amount of Copper

Copper shaving is the #1 technique manufacturers use to save money on Cat 5e cable. With ICE, you get what you pay for. Our Category cables are built to the full specification using the proper amount of copper. The right spec means the right performance. Best for all Cat 5e applications including HDBaseT and the most critical bandwidth intensive purposes.



Maintain Spec with the Proper Dispenser

Too much tension in the pull box will cause Category cables to lose their performance and fall "out of spec". Our BMP box features a special wind, the proper tension and a larger bend radius so you get FULL performance from your Category cables.



Complete Line of Category Cable

You should be able to get everything you need from one place. ICE stocks a huge variety of Cat 5e and Cat 6 in multiple colors. This includes Shielded, Plenum, Siamese as well as the 10Gbps Cat 6a.

item	description
Primal Cat 5e	24ga., 4 Pair, Solid, 350mhz
Primal Cat 6	23ga., 4 Pr, Solid, 550mhz (w/sp
Cat 5e/350mhz	24ga., 4 Pair, Solid, 350mhz
Cat 5e/Plenum	24ga., 4 Pair, Solid, 350mhz, Pl
Cat 5e/Shielded	24ga., 4 Pr, Solid, Shielded
Cat 5e/Outdoor	24ga., 4 Pr, Solid, UV Resistan
Cat 5e/Direct Burial	24ga., 4 Pr, Solid, UV Resistar
Cat 5e/InPhase	24ga., 4 Pr, Low-Skew Categ
Cat 5e/InPhase/P	24ga., 4 Pr, Low-Skew Categ
Cat 5e/Siamese	(2) Cat 5e 350mhz, Siamese
Cat 5e/x4	(4) Cat 5e 350mhz, Overall
Cat 6/550mhz	23ga., 4 Pr, Solid, 550mhz
Cat 6/Plenum	23ga., 4 Pr, Solid, 550mhz
Cat 6/Shielded	23ga., 4 Pr, Solid, 550mhz
Cat 6/Outdoor	23ga., 4 Pr, Solid, UV Res
Cat 6/Direct Burial	23ga., 4 Pr, Solid, UV Res



Data / Category Cable

Item	Description	Color	Put-Ups	Length
Cat 5e/350mhz	24ga., 4 Pair, Solid, 350mhz	White/Blue/Gray/Red/Ylw/Grn/Blk	BMP Box	1000Ft
Cat 5e/Plenum	24ga., 4 Pair, Solid, 350mhz, Plenum	White/Blue/Gray/Black	BMP Box	1000Ft
Cat 5e/Shielded	24ga., 4 Pr, Solid, Shielded	Blue	BMP Box	1000Ft
Cat 5e/Outdoor	24ga., 4 Pr, Solid, UV Resistant, 4L, CMX	Black	BMP Box/Spool	1000Ft
Cat 5e/Direct Burial	24ga., 4 Pr, Solid, UV Resistant & Gel-Filled	Black	BMP Box	1000Ft
Cat 5e/InPhase	24ga., 4 Pr, Low-Skew Category Cable	Black	BMP Box	1000Ft
Cat 5e/InPhase/P	24ga., 4 Pr, Low-Skew Category Cable, Plenum	Black	BMP Box	1000Ft
Cat 5e/Siamese	(2) Cat 5e 350mhz, Siamese	White and Blue	Spool	1000Ft
Cat 5e/x4	(4) Cat 5e 350mhz, Overall Jacket	Green	Spool	500Ft
Cat 6/550mhz	23ga., 4 Pr, Solid, 550mhz (w/spine)	Blue/Gray/White/Yellow/Blk/Green	BMP Box	1000Ft
Cat 6/Plenum	23ga., 4 Pr, Solid, 550mhz (w/spine), Plenum	Blue/Gray/White/Yellow/Blk/Green	BMP Box	1000Ft
Cat 6/Shielded	23ga., 4 Pr, Solid, 550mhz (w/spine), Shielded	Gray	Spool	1000Ft
Cat 6/Outdoor	23ga., 4 Pr, Solid, UV Resistant, 4L, CMX	Black	Spool	1000Ft
Cat 6A	Cat 6A 550mhz	Blue	Spool	1000Ft



Premium Features. Priced for the Economy.



Inexpensive cable does not have to be “cheap”. The problem with cheap cable is that it costs you time and doesn’t perform, forcing installers to regularly throw out wire in frustration. Not anymore. Primal Cable offers you a tangle-free box design and cable wind - on a budget. It’s the perfect solution for inexpensive cable that pulls well. Now get 100% of the cable from your boxes.

- ▶ [UL Listed](#)
- ▶ [Big Mouth Payout Technology](#)
- ▶ [Better Box and Wind](#)
- ▶ [Multiple Colors Available](#)

*Best used for non-critical Cat 5e applications. Tested to Cat 5e standard at 100MHz. This cable is not recommended for use with HDBaseT and other high bandwidth applications.

Item	Description	Color	Put-Ups	Length
Primal Cat 5	24ga., 4 Pair, Solid, 350mhz	Blue/White/Yellow/Green	BMP Box	1000Ft
Primal Cat 6	23ga., 4 Pr, Solid, 550mhz (w/spine)	White/Blue/Gray	BMP Box	1000Ft

Features (ICE and Primal)


 Big Mouth Payout	 Ascending Descending Foot markers	 iLabel
----------------------	---------------------------------------	------------

Compliance (ICE and Primal)

 Listed	 Rated	 Rated	 Compliant
------------	-----------	-----------	---------------

HDBaseT Certified Cat 5e and Cat 6


Featuring HDBaseT certification, Tangle-free box technology, UL Listing and ETL performance verification. This is as good as it gets.



Certified Cat 5e and Cat 6

Isn't it nice when it just works? We agree. It's why you use HDBaseT and why we had our cables certified. It comes down to guaranteed

GUARANTEED MINIMUM PERFORMANCE




Certification - What it means for you.

With cable certification, you can sleep well knowing your installation is ensured to have full product interoperability and compliance. Transmit 100m with a single hop and up to 800m with 8 hops. When you need it done right, copper-shaven Cat 5e won't cut it. Welcome to the good stuff.

HDBaseT 5Play™. 5 Connections on 1 Cable.

5Play™ is the cornerstone of HDBaseT technology. It allows you to send uncompressed full HD video, multi-channel audio, 100 BaseT ethernet, power and various control signals through a single Cat 5e / 6 cable. Even more amazing, you can send all 5 signals over 100 feet with a single Cat 5e cable. You can also send 4K video over 100 meters on a single Cat 6 cable.













Speaker Cable












Our Reference Series speaker cables feature all of our best technologies. This is your go-to speaker cable. The Celsius Series is designed for applications in which the thinnest possible cable is required - such as conduit. Check out the guide below to see the features offered by each series.



















Reference Series

Item	Description	Color	Put-Ups	Length
16-2 /FX	16gauge, 2 Cond, Direct Burial, 65 Strand, Wet Slick, OFC	White/Black Coffee	BMP Box/Spool  	500Ft
16-4/FX	16gauge, 4 Cond, Direct Burial, 65 Strand, Wet Slick, OFC	White/Black/Blue	BMP Box/Spool  	500Ft
14-2/FX	14gauge, 2 Cond, Direct Burial, 105 Strand, Wet Slick, OFC	White/Black	BMP Box/Spool  	500Ft
14-4/FX	14gauge, 4 Cond, Direct Burial, 105 Strand, Wet Slick, OFC	White/Black	BMP Box/Spool  	500Ft
12-2/FX	12gauge, 2 Cond, Direct Burial, 65 Strand, Wet Slick, OFC	White	BMP Box 	500Ft
12-4/FX	12gauge, 4 Cond, Direct Burial, 65 Strand, Wet Slick, OFC	White	Spool 	500Ft



Celsius Series

Item	Description	Color	Put-Ups	Length
16-2 /CS	16ga., 2 Cond, 65 Strand, Reduced Jacket Wall Thickness	White	BMP Box 	500Ft
	16ga., 2 Cond, 65 Strand, Reduced Jacket Wall Thickness	White	BMP Box 	1000Ft
16-4/CS	16ga., 4 Cond, 65 Strand, Reduced Jacket Wall Thickness	White	BMP Box 	500Ft
18-2/CS	18ga., 2 Cond, 41 Strand, Reduced Jacket Wall Thickness	White	BMP Box 	1000Ft
18-4/CS	18ga., 4 Cond, 41 Strand, Reduced Jacket Wall Thickness	White	BMP Box 	500Ft
16-2/Plenum	16gauge, 2 Cond, 26 Strand, Plenum Rated	White/Black	BMP Box 	1000Ft
16-4/Plenum	16gauge, 4 Cond, 26 Strand, Plenum Rated	White/Black	BMP Box 	500Ft
14-2/Plenum	14gauge, 2 Cond, 19 Strand, Plenum Rated	White/Black	BMP Box 	500Ft
14-4/Plenum	14gauge, 4 Cond, 19 Strand, Plenum Rated	White/Black	BMP Box 	500Ft
12-2/Plenum	12gauge, 2 Cond, Plenum Rated	White/Black	Spool 	500Ft
18-2/Plenum	18gauge, 2 Cond, Plenum Rated	White/Black	BMP Box 	1000Ft

Features

  Big Mouth Payout	  Wet Slick Jackets	  Direct Burial Ratings	  EZ Strip Tissue	  Oxygen Free Copper	  Ascending Descending Foot markers	  iLABEL	  Round Jackets
--	---	---	---	--	---	--	---

Compliance

	CL3 / CL3P Rated
	FT4 / FT6 Rated

Coaxial Cable

We carry a wide variety of coaxial cables including Non-Plenum, Plenum, Direct Burial and Siamese. To find out which connector works best with your cable, check out the “Connector Pairing” column on the chart below.



Item	Description	Color	Connector Pairing	Put-Ups	Length
RG-6U/3ghz	18ga, 60% Shield, Swept to 3.0ghz		F 6U/Q, RCA 6U/Q, BNC 6U/Q	BMP Box	1000Ft
RG-6U/Plenum	18gauge, Dual Shield, CCS, Plenum		F 6U/Q, RCA 6U/Q, BNC 6U/Q	Spool	1000Ft
RG-6QS/CCS	18ga., 100% Coverage, CCS, Swept to 3ghz		F 6U/Q, RCA 6U/Q, BNC 6U/Q	BMP Box	500Ft
	18ga., 100% Coverage, CCS, Swept to 3ghz		F 6U/Q, RCA 6U/Q, BNC 6U/Q	BMP Box	1000Ft
RG-6QS/BC	18ga, 100% Coverage, Bare Copper, Swept to 3ghz		F 6U/Q, RCA 6U/Q, BNC 6U/Q	BMP Box	1000Ft
RG-6QS/CCS/Plenum	18gauge, Quad Shield, CCS, Swept to 3ghz, Plenum		F 6U/Q, RCA 6U/Q, BNC 6U/Q	Spool	1000Ft
RG-6QS/Siamese	(2) RG-6QS Bare Copper, Siamese, Great for Tivos!		F 6U/Q, RCA 6U/Q, BNC 6U/Q	Spool	500Ft
RG-6QS/Direct Burial	18ga., 100% Coverage, CCS, UV Resistant & Gel filled		F 6U/Q, RCA 6U/Q, BNC 6U/Q	Spool	1000Ft
RG-59/BC	20ga., RG-59, 95% BC Shield		F Conn 59, RCA 59, BNC 59	BMP Box	1000Ft
RG-59/HDTV	Broadcast Grade Digital Coax, 3.0ghz		F Conn 59, RCA 59, BNC 59	BMP Box	500Ft
RG-59/HDTV/Plenum	Broadcast Grade Digital Coax, 3.0ghz, Plenum		F Conn 59, RCA 59, BNC 59	BMP Box	500Ft
RG-6/Cat5e	(1) RG-6QS/CCS 3Ghz + (1) Cat 5e 350Mhz, Siamese		F 6U/Q, RCA 6U/Q, BNC 6U/Q	Spool	500Ft
RG-59/18-2/BC	(1) RG-59/BC 3ghz + (1) 18-2 for Cameras, Siamese		F Conn 59, RCA 59, BNC 59	Spool	500Ft
RGB2/Plenum	(2) 25gauge Solid BC Coax, RGB2 Plenum		RCA RGB, BNC RGB	BMP Box	1000Ft
RGB5	(5) Mini Digital Coax, 75ohm, 25ga Solid BC Center		RCA RGB, BNC RGB	Spool	250Ft
	(5) Mini Digital Coax, 75ohm, 25ga Solid BC Center		RCA RGB, BNC RGB	Spool	500Ft
RGB5 Plenum	(5) Mini Coax, 75ohm, 25ga Solid BC Center, Plenum		RCA RGB, BNC RGB	Spool	500Ft
	(5) Mini Coax, 75ohm, 25ga Solid BC Center, Plenum		RCA RGB, BNC RGB	Spool	1000Ft
RGB5/2Cat5e	(5) Mini Digital Coax + (2) Cat 5e 350Mhz		RCA RGB, BNC RGB	Spool	250Ft
RGB6/(2)22-2OS/P	(6) Mini Digital Coax, 75ohm + 2pr Audio, Plenum		RCA RGB, BNC RGB	Spool	500Ft

Features



Big Mouth Payout



Ascending Descending Foot markers



iLabel

Compliance



CMR/CMP

Rated

FT4/FT6

Rated

RoHS

Compliant

Alarm Wire and Audio Cables

Our Alarm wire is available in our premium BMP boxes, as well as speed bags. It's your choice. You'll also find a complete line of audio cables with several levels of capacitance to choose from.



Item	Description	Color	Put-Ups	Length	
22-2/EPS	22ga, 2pr, Each Pair Shielded w/Drain		Translucent Purple	BMP Box	1000Ft
22-2EPS/MC/Plenum	22ga, 2pr, Individually Shielded, Mid Cap Plenum		White/Black	BMP Box	1000Ft
22-2EPS/LC/Siam/P	22ga, 2pr Siamese, Overall Shield, Low Cap Plenum		White/Black	Spool	500Ft
18-2/EPS	18ga, 2pr, Each Pair Shielded w/Drain		Blue	BMP Box	1000Ft
22-2/OS	22ga, 2 Cond, Overall Shield w/Drain, Mid Cap		Coffee	BMP Box	1000Ft
22-2OS/MC/Plenum	22gauge, 2 Cond, Overall Shield, Mid Cap Plenum		White/Black	BMP Box	1000Ft
22-2OS/LC	22ga, 2 Cond, Overall Shield w/Drain, Low Cap		White	BMP Box	1000Ft
22-2OS/LC/Plenum	22gauge, 2 Cond, Overall Shield, Low Cap Plenum		White/Black	BMP Box	1000Ft
18-2/OS	18ga, 2 Cond, Overall Shield, w/Drain		Gray	BMP Box	1000Ft
22-4/OS	22ga, 4 Cond, Overall Shield, w/Drain		Translucent Clear	BMP Box	1000Ft
22-4OS/MC/Plenum	22gauge, 4 Cond, Overall Shield, Mid Cap Plenum		White/Black	BMP Box	1000Ft
22-2/Solid	22ga, 2 Cond, Solid Core, Alarm		White	Box/Bag	1000Ft
22-4/Solid	22ga, 4 Cond, Solid Core, Alarm		White	Box/Bag	1000Ft
22-2/Stranded	22ga, 2 Cond, Stranded, Alarm		White	Box/Bag	1000Ft
22-4/Stranded	22ga, 4 Cond, Stranded, Alarm		White	Box/Bag	1000Ft

Features



Big Mouth Payout



Ascending Descending Foot markers



iLabel

Compliance



Listed

CL3/CL3P

Rated

FT4/FT6

Rated

RoHS

Compliant

Structured Wiring / Bundled Cables

It's all about convenience. Structured Wiring offers the advantage of having several cables bundled under one jacket, allowing you to pull one run of cable instead of having to pull each cable separately.



Item	Description	Color	Put-Ups	Length
14-4/Cat 5e 350	(1) 14-4, 105 strand, OFC Copper + (1) Cat 5e 350Mhz		Spool	500Ft
16-4/Cat 5e 350	(1) 16-4, 65 strand, OFC Copper + (1) Cat 5e 350Mhz		Spool	500Ft
2+2	(2) Cat 5e 350 + (2) RG-6QS/CCS 3ghz		Spool	500Ft
2+2/C6	(2) Cat 6E 550 + (2) RG-6QS/CCS 3ghz		Spool	500Ft
2+2/Fiber/50um	(2) Cat 5e + (2) RG-6QS/CCS + (2) 50um Fiber		Spool	500Ft

Features			Compliance			
				CMR/CMP	FT4/FT6	RoHS
Big Mouth Payout	Ascending Descending Foot markers	iLabel		Rated	Rated	Compliant

Custom Bundling



We stock many common bundles used by installers. However, if you want a custom built bundle, we can do that too. The cables are skip wrapped, allowing you to combine them without the need for an outer jacket. Just let your salesperson know which cables you want to combine and they'll help you get it done.

Automation Cables and Fiber Optics

ICE stocks a full range of automation and fiber optic cables for the most popular control systems on the market today, including the most commonly used fiber optic cables. Some cables are available in both Plenum and Non-Plenum.




Control Red



Control Yellow



Fiber Siamese



Control Red



Control Yellow



Fiber Siamese

Item	Description	Color	Put-Ups	Length
Control Yellow	(1) 22-2, w/ Shield & Drain + (1) 18-2	Teal/Yellow Stripe	BMP Box/Spool	500Ft
Control Yellow/Plenum	(1) 22-2, w/ Shield & Drain + (1) 18-2, Plenum	Teal/Yellow Stripe	BMP Box/Spool	500Ft
Control Red	(1) Control Yellow + (1) Cat 5e 350Mhz	Teal/Red Stripe	BMP Box/Spool	500Ft
Control Black	(1) Control Yellow + (2) Cat 5e 350Mhz	Teal/Black Stripe	BMP Box/Spool	500Ft
Control White	(1) Control Yellow + (4) Cat 5e 350Mhz	Teal/White Stripe	BMP Box	500Ft
Control Blue	(1) Control Yellow + (1) Control DM + (1) Cat 5e 350Mhz	Blue/Red Stripe	Spool	500Ft
Control DM	Shielded Cat 5e w/ Spline	Blue	BMP Box/Spool	500Ft
Control Fiber	(4) 50/125um Multimode Fibers in Breakout Configuration	Aqua	BMP Box/Spool	500Ft
Fiber Siamese	(2) 50/125um Multimode Fibers in Siamese Configuration	Aqua	Spool	1000Ft
Control Fiber	(4) 50/125um Multimode Fibers in Breakout Configuration	Aqua	Spool	500Ft
Control Fiber	(4) 50/125um Multimode Fibers in Breakout Configuration	Aqua	Spool	1000Ft
Control Fiber/Plenum	(4) 50/125um Multimode Fibers in Breakout Config., Plenum	Blue	Spool	1000Ft
Fiber SC50MM	SC Type Connector for 50um Multimode Fiber	Black		1pc

Features



Big Mouth Payout



Ascending Descending Foot markers



iLabel

Compliance



Listed

CL3/CL3P

Rated

FT4/FT6

Rated

RoHS

Compliant

Lutron Cables

We stock a complete line of cables for Lutron systems in both Plenum and Non-Plenum. To cross-reference the Lutron part numbers you'll see them listed in the chart below. Whether your needs are residential or commercial, we've got you covered.



Item	Description	Color	Lutron Part No.	Put-Ups	Length
Lutron Green	(1) 22-2, w/ Shield & Drain + (1) 18-2	Blue/Green Stripe	GRX-CBL-346S	BMP Box	1000Ft
Lutron Green/Plenum	(1) 22-2, w/ Shield & Drain + (1) 18-2, Plenum	Blue/Green Stripe	GRX-PCBL-346S	BMP Box	1000Ft
Lutron Pink	18ga, 2 Cond, 600v Tray Cable, Dimmer & Switch	Blue/Pink Stripe	N/A	Spool	1000Ft
Lutron White	18ga, 4 Cond, 600v Tray Cable, Dimmer & Switch	Blue/White Stripe	N/A	Spool	1000Ft
Lutron Red	7 Conductor Cable for Sivoia Shade Control Systems	Blue/Red Stripe	SVQ-CBL	Spool	500Ft
	7 Conductor Cable for Sivoia Shade Control Systems	Blue/Red Stripe	SVQ-CBL	Spool	1000Ft
Lutron QS/M	(1) 22-2, w/ Shield & Drain + (1) 16-2	Blue/Orange Stripe	QSH-CBL-M	Spool	500Ft
	(1) 22-2, w/ Shield & Drain + (1) 16-2	Blue/Orange Stripe	QSH-CBL-M	Spool	1000Ft
Lutron QS/M/Plenum	(1) 22-2, w/ Shield & Drain + (1) 16-2, Plenum	Blue/Orange Stripe	QSH-PCBL-M	Spool	500Ft
	(1) 22-2, w/ Shield & Drain + (1) 16-2, Plenum	Blue/Orange Stripe	QSH-PCBL-M	Spool	1000Ft
Lutron 46L	(1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1	Blue/White Stripe	GRX-CBL-46L	Spool	500Ft
	(1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1	Blue/White Stripe	GRX-CBL-46L	Spool	1000Ft
Lutron 46L/Plenum	(1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1, Plenum	Blue/White Stripe	GRX-PCBL-46L	Spool	500Ft
	(1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1, Plenum	Blue/White Stripe	GRX-PCBL-46L	Spool	1000Ft
Lutron 522	5 Conductor Cable, 22 Gauge	White	C-CBL-522S-WH-1	Spool	1000Ft
Lutron 522/Plenum	5 Conductor Cable, 22 Gauge, Plenum	Clear	C-PCBL-522S-WH-1	Spool	1000Ft
Lutron 216	2 Conductor Cable, 16 Gauge, 300v/600v	White	C-CBL-216-GR-1	Spool	1000Ft
Lutron 216/Plenum	2 Conductor Cable, 16 Gauge, Plenum	Clear	C-PCBL-216-CL-1	Spool	1000Ft
Vantage 16-2	16ga, 2 Cond, 600v Tray Cable	Purple/Yellow	N/A	Spool	1000Ft

Features



Big Mouth Payout



Ascending Descending Foot markers



iLabel

Compliance



Listed

CL3/CL3P

Rated

FT4/FT6


Rated

RoHS

Compliant

Prewire Accessories

They say the devil's in the details and we know the little things matter. Adding to our strength as a one-stop-shop is a full lineup of prewire accessories that will help you keep your trucks stocked.



Item	Description	Color	Quantity
LV1	Arlington Single Gang Retro-fit Low Voltage Ring	Black	10 Pieces
LV2	Arlington Double Gang Retro-fit Low Voltage Ring	Black	5 Pieces
LVMB1	Arlington Single Gang New Const. Low Voltage Ring	Black	10 Pieces
LVMB2	Arlington Double Gang New Const. Low Voltage Ring	Black	5 Pieces
D22	Arlington 2" x 2" D Ring	Black	1 Each
D33	Arlington 3" x 3" D Ring	Black	1 Each
D35	Arlington 3" x 5" D Ring	Black	1 Each
Digital Audio Converter	Optical Digital to Analogue Audio Converter	Black	1 Piece
HDMI Balun/2Cat	HDMI Balun over (2) Category Cables	Black	1 Piece
HDMI Balun/1Cat	HDMI Balun over (1) Category Cables	Black	1 Piece
Wiring Enclosure	18" Enclosure	White	1 Piece
	28" Enclosure	White	1 Piece
	48" Enclosure	White	1 Piece
Hinged Wiring Cover	18" Hinged Cover	White	1 Piece
	28" Hinged Cover	White	1 Piece
	48" Hinged Cover	White	1 Piece
HDMI 90 Degree Adapter	HDMI 90 Degree Adapter Up or Down	Black	1 Piece
RCA Barrel	RCA Female to RCA Female Adapter	Black	1 Piece
BNC Barrel	BNC Female to BNC Female Adapter	Metal	1 Piece
F Barrel	F Female to F Female Adapter	Metal	1 Piece
Sample Wand - Residential	Sample Wand for Top Residential Cables		1 Each
Sample Wand - Commercial	Sample Wand for Top Commercial Cables		1 Each

Clear Series 2 HDMI


Our Clear Series 2 HDMI cables represent state-of-the-art technology and bleeding edge performance. With a wish-list of HDMI features, our cables are now fitted with GRIP Lock heads, for rock-solid connections.



Item	Description	Color	Length
Clear HDMI S2 - 0.5m	Locking, high speed, 3D w/Ethernet, UL & FT4 Rated	Gray	0.5 meter / 1.6 feet
Clear HDMI S2 - 1m	Locking, high speed, 3D w/Ethernet, UL & FT4 Rated	Gray	1 meter / 3.3 feet
Clear HDMI S2 - 2m	Locking, high speed, 3D w/Ethernet, UL & FT4 Rated	Gray	2 meter / 6.6 feet
Clear HDMI S2 - 3m	Locking, high speed, 3D w/Ethernet, UL & FT4 Rated	Gray	3 meter / 9.8 feet
Clear HDMI S2 - 5m	Locking, high speed, 3D w/Ethernet, UL & FT4 Rated	Gray	5 meter / 16.4 feet
Clear HDMI S2 - 7.5m	Locking, standard, 3D w/Ethernet, UL & FT4 Rated	Gray	7.5 meter / 24.6 feet
Clear HDMI S2 - 10m	Locking, standard, 3D w/Ethernet, UL & FT4 Rated	Gray	10 meter / 32.8 feet
Clear HDMI S2 - 15m	Locking, standard, 3D w/Ethernet, UL & FT4 Rated	Gray	15 meter / 49.2 feet
Clear HDMI S2 - 23m	Locking, standard, 3D w/Ethernet, UL & FT4 Rated	Gray	23 meter / 75.4 feet
Clear HDMI S2 - 30m	Locking, standard, 1080p/60hz, UL & FT4 Rated	Gray	30 meter / 98.4 feet
HDMI Plenum	Plenum HDMI 1.4, CMP Rated, 33ft (10m)	Gray	33 feet
HDMI F - DVI M	HDMI Female to DVI Male Adapter	White	1 each
HDMI M - DVI F	HDMI Male to DVI Female Adapter	White	1 each
HDMI F - HDMI F	HDMI Female to HDMI Female Adapter	White	1 each

Field Terminable HDMI

HDMI cables you can terminate yourself. It's simple. Get the cable and connectors, follow the termination instructions and you'll be up and running in no time. You can cut the cables to any length you want and still get performance comparable to pre-terminated HDMI cables.



Here's what you need

Cable



Available in 250ft and 500ft lengths.

Connectors



Patent Pending HDMI locking connectors ensure secure connector mating. (Available in packs of 10)

Shells



Protect your HDMI's by covering them with the sleekly designed diecast Shell.

Tools



The DIY Hand Tool puts the finishing touches on your terminations.

Extender



Extends your cable up to 80 Feet with full 1080p signal.

Tester



Available in 250ft and 500ft lengths. connectors ensure secure connector mating.

Performance Info

- Maximum length 80 feet (with Extender)
- HDMI Locking Connector for secure connections (Patent Pending)
- UL Listed for in wall use
- Internal ribbon design for easy termination
- Round jacket design for easy termination

Wall Plates and Trim

We stock a full array of wall plates and trim out products. Check out our full product line on the next page.



Dec Plate/1G



SWP/Blank/1G



SWP/Pass/2G



Dec Insert Passthrough



Dec Insert



QP Cat 5e



PLT/1G/VMCA



Patch Panel Cat 5e



Patch Panel Cat 6

Wall Plates and Trim

Item	Description	Color		Quantity
Standard Wall Plate	Wall Plate, 1, 2, 3, 4, or 6 Ports		White	1 Piece
WP/Blank/1G	Single Gang Blank Wall Plate		White	1 Piece
SWP/Blank/2G	Double Gang Blank Wall Plate		White	1 Piece
SWP/Pass/1G	Single Gang Passthrough Wall Plate		White	1 Piece
SWP/Pass/2G	Double Gang Passthrough Wall Plate		White	1 Piece
Dec Insert	Decorator Insert Plate, 1, 2, 3, 4 or 6 Ports		White	1 Piece
Dec Insert Blank	Decorator Insert Plate, Blank		White	1 Piece
Dec Insert Passthrough	Decorator Insert Passthrough Plate		White	1 Piece
Dec Plate/1G	Decorator Outer Plate, Single Gang		White	1 Piece
Dec Plate/2G	Decorator Outer Plate, Double Gang		White	1 Piece
Dec Plate/3G	Decorator Outer Plate, Triple Gang		White	1 Piece
QP Tel	Quickport, 6 Pin Telephone		White/Blue	1 Piece
QP Cat 5e	Quickport, Category 5e		White/Blue	1 Piece
QP Cat 6	Quickport, Category 6		White	1 Piece
QP F	Quickport, F Connector, Bag of 10		White	10 Pieces
QP Cat 5e Barrel	Quickport, Category 5e Barrel		White	1 Piece
QP Blank	Quickport, Blank		White	1 Piece
Snap Insert RCA	Snap In Insert for RCA Barrel		White	1 Piece
Patch Panel Cat 5e	12 Port Cat 5e Patch Panel		White	1 Piece
	24 Port Cat 5e Patch Panel		White	1 Piece
	48 Port Cat 5e Patch Panel		White	1 Piece
Patch Panel Cat 6	12 Port Cat 6 Patch Panel		White	1 Piece
	24 Port Cat 6 Patch Panel		White	1 Piece
	48 Port Cat 6 Patch Panel		White	1 Piece
PLT/1G/VMCA	1 Gang Plate w/ VGA, 3.5, Composite & LR Audio		Metal	1 Piece
PLT/1G/VM	1 Gang Plate with VGA & 3.5		Metal	1 Piece
PLT/2G/V	2 Gang Plate w/VGA		Metal	1 Piece
PLT/1G/V	1 Gang Plate with VGA		Metal	1 Piece
PLT/2G/VMCA	2 Gang Plate w/ VGA, 3.5, Composite & LR Audio		Metal	1 Piece
PLT/1G/GROM/1.78	1 Gang Plate with 1 x 1.78 inch Grommet		Metal	1 Piece
PLT/1G/VMAS	1 Gang Plate with VGA, 3.5 Audio, L/R Audio & S-Video		Metal	1 Piece
PLT/1G/VML	1 Gang Plate with VGA, 3.5 Audio & LAN		Metal	1 Piece
PLT/1G/VMAL	1 Gang Plate with VGA + 3.5 Audio + L/R Audio + LAN		Metal	1 Piece

Assembled Cable

Patch Cables



Item	Description	Color		Length
Cat 5e Patch Cable	24 gauge, 4 Pair, Stranded, Patch Cable		White	0.5 m, 1 m, 2 m, 3 m, 5 m, 7.5 m, 10 m, 15 m, 23 m, 30 m
Cat 6 Patch Cable	23 gauge, 4 Pair, Stranded, Patch Cable		White	0.5 m, 1 m, 2 m, 3 m, 5 m, 7.5 m, 10 m, 15 m, 23 m, 30 m

Connectors and Tools



Connectors

Item	Description	Color	Cable Compatibility	Quantity
F Conn 59	F Connector for RG-59		All RG-59 Cables	25 Pieces
F 6U/Q	F Connector for RG-6U & RG-6QS		All RG6U & RG6QS Cables	25 Pieces
RCA 59	RCA Connector for RG-59		All RG-59 Cables	25 Pieces
RCA 6U/Q	RCA Connector for RG-6U & RG-6QS		All RG-6U & RG-6QS Cables	25 Pieces
RCA RGB	RCA Connector for RGB		All RGB Cables	25 Pieces
BNC 59	BNC Connector for RG-59		All RG-59 Cables	25 Pieces
BNC 6U/Q	BNC Connector for RG-6U & RG-6QS		All RG-6U & RG-6QS Cables	25 Pieces
BNC RGB	BNC Connector for RGB		All RGB Cables	25 Pieces
Speaker 16	Speaker Cable Connector for 16 gauge		All 16 gauge Cables	20 Pieces
Speaker 14	Speaker Cable Connector for 14 gauge		All 14 gauge Cables	20 Pieces
Speaker 12	Speaker Cable Connector for 12 gauge		All 12 gauge Cables	20 Pieces
Banana Tip	Banana Tip for Speaker Cable Connector			20 Pieces
10 Gig Termination Kit	10 Gig Termination System Pod Kit			1 each
RJ-45 Cat 6A	RJ45 Cat6A 10 Gig Shielded connector w/liner. Bulk/100			100 Pieces
	RJ45 Cat6A 10 Gig Shielded connector w/liner. 50/Pack			50 Pieces
EZ Tel	EZ Connector for 6 Pin Telephone		All 6 Pin Telephone Cables	100 Pieces
EZ Cat 5e	EZ Connector for Cat 5e		All Cat 5e Cables	100 Pieces
EZ Cat 6	EZ Connector for Cat 6		All Cat 6 Cables	100 Pieces
EZ Cat 5 Shielded	EZ Connector for Cat 5e Shielded		All Cat 5e Shielded Cables	50 Pieces
RJ-12 Telephone	Connector for 6 Pin Telephone		All 6 Pin Telephone Cables	100 Pieces
RJ-45 Cat 5e	Connector for Cat 5e		All Cat 5e Cables	100 Pieces

Tools

Item	Description	Color	Quantity
FLC Stripper	16 gauge, 2 Cond, Direct Burial, 65 Strand, Wet Slick, OFC-		1 Each
FLC Stripper Blade	FLC Stripper Replacement Blade		1 Each
FLC Tool	FLC Compression Tool, Red		1 Each
External Ground Crimp Tool	CT-360 External Ground Crimp Tool		1 Each
Cat 6A Tool	Tele-Titan Xg Crimp Tool for CAT6A/10Gig/CAT7, Clamshell		1 Each
FLC Tool Die	FLC Compression Tool Replacement Die		1 Each
RJ-45 Tool	Crimp Tool for RJ-12 & RJ-45 Plugs		1 Each
EZ Tool HD	Crimp Tool for EZ RJ-12 & RJ-45 Plugs		1 Each
EZ Tool Blades	EZ Tool RJ-45 & RJ-12 Replacement Blades		1 Pair

Plenum A/V Cables

For commercial audio/video installations, we stock a full range of Plenum rated cable assemblies. If you can't find what you're looking for, let us know. We offer custom assemblies as well.



Item	Description	Color	Length
Audio Plenum	RCA Analog Audio Interconnect, M to M, Plenum	Black	35 feet
	RCA Analog Audio Interconnect, M to M, Plenum	Black	50 feet
	RCA Analog Audio Interconnect, M to M, Plenum	Black	75 feet
	RCA Analog Audio Interconnect, M to M, Plenum	Black	100 feet
3.5 - RCA Plenum	LR Audio Male to 3.5mm Audio Male, Plenum	Black	35 feet
	LR Audio Male to 3.5mm Audio Male, Plenum	Black	50 feet
	LR Audio Male to 3.5mm Audio Male, Plenum	Black	75 feet
	LR Audio Male to 3.5mm Audio Male, Plenum	Black	100 feet
Composite Plenum	Composite Video Interconnect, Plenum	Black	35 feet
	Composite Video Interconnect, Plenum	Black	50 feet
	Composite Video Interconnect, Plenum	Black	75 feet
	Composite Video Interconnect, Plenum	Black	100 feet
Component Plenum	RCA Component Video Interconnect, M to M, Plenum	Black	35 feet
	RCA Component Video Interconnect, M to M, Plenum	Black	50 feet
	RCA Component Video Interconnect, M to M, Plenum	Black	75 feet
	RCA Component Video Interconnect, M to M, Plenum	Black	100 feet
VGA Plenum	VGA Video Interconnect, Male to Male, Plenum	Black	35 feet
	VGA Video Interconnect, Male to Male, Plenum	Black	50 feet
	VGA Video Interconnect, Male to Male, Plenum	Black	75 feet
	VGA Video Interconnect, Male to Male, Plenum	Black	100 feet
VGA - BNC Plenum	VGA Male to BNC Male Interconnect, Plenum	Black	35 feet
	VGA Male to BNC Male Interconnect, Plenum	Black	50 feet
	VGA Male to BNC Male Interconnect, Plenum	Black	75 feet
	VGA Male to BNC Male Interconnect, Plenum	Black	100 feet
VGA/3.5 Plenum	VGA + 3.5mm Audio, Male to Male, Plenum	Black	35 feet
	VGA + 3.5mm Audio, Male to Male, Plenum	Black	50 feet
	VGA + 3.5mm Audio, Male to Male, Plenum	Black	75 feet
	VGA + 3.5mm Audio, Male to Male, Plenum	Black	100 feet
VGA/MCA Plenum	VGA + 3.5mm + Composite + LR Audio, M to M, Plenum	Black	35 feet
	VGA + 3.5mm + Composite + LR Audio, M to M, Plenum	Black	50 feet
	VGA + 3.5mm + Composite + LR Audio, M to M, Plenum	Black	75 feet
	VGA + 3.5mm + Composite + LR Audio, M to M, Plenum	Black	100 feet

Competitor Cross Reference

Now that you have learned what makes ICE the most advanced cable in the business, why settle for less? See below for a cross reference that will make switching easy.

Application	ICE Cable	Liberty Wire	Belden	Extron	WestPenn	Gepco
Speaker Cable						
12awg, Speaker, Plenum	12-2/Plenum	12-2C-P	6000UE	25227	25227	SSU122P
12awg, Speaker, Non-Plenum	12-2FX/	12-2C-EX+	5000UP	227	227	SSU122R
14awg, Speaker, Plenum	14-2/Plenum	14-2C-P	6100UE	25226	25226B	SSU142P
14awg, Speaker, Non-Plenum	14-2FX/	14-2C-EX+	5100UE	226	226	SSU142R
14awg, Speaker, Plenum	14-4/Plenum	14-4C-P	1861A	SPK14P	25246B	SSU114P
14awg, Speaker, Non-Plenum	14-4FX/	14-4C-EX+	5102UE	SPK14	246	SSU144R
16awg, Speaker, Plenum	16-2/Plenum	16-2C-P	6200UE	SPK16P	25225B	SSU162P
16awg, Speaker, Non-Plenum	16-2CS/	16-2C-KO	5200UE	SPK16	225	SSU162R
18awg, Speaker, Plenum	18-2/Plenum	18-2C-P	6300UE	SPK18P	25224B	SSU182P
18awg, Speaker, Non-Plenum	18-2CS	18-2C-GRY	5300UE	SPK18	224	SSU182R
Category / Data Cable						
Cat 5E - Shielded Plenum	Cat 5E/Shielded/Plenum	24-4P-P-L5SH	1533P	N/A	254245F	N/A
Cat 5E - Unshielded Non-Plenum	Cat 5e	24-4P-L5-EN-Color	1583A	N/A	4245	CT504/350
Cat 5E - Unshielded Plenum	Cat 5e/Plenum	24-4P-P-L5-EN	1213	N/A	254245	CT504/350P
Cat 6 - Unshielded Non-Plenum	Cat 6	24-4P-L6-Color	7881A	N/A	4246	CT604/500
Cat 6 - Unshielded Plenum	Cat 6/Plenum	24-4P-P-L6-Color	2413	N/A	254246	CT604/500P
RGB over CAT5	Cat5e/In Phase	TRUPHASE	7987R	22-141-03	N/A	LSK04
RGB over CAT5 Plenum	Cat5e/In Phase/Plenum	TRUPHASE-P	7987P	22-142-03	N/A	LSK04P
Coaxial Cable						
RG59 SD or Analog Video	RG-59/HDTV	20-CMR-VIDEO-color	1505A	RG59	819	VPM2000
RG59 SD or Analog Video Plenum	RG-59/HDTV/Plenum	20-CMP-VID-COAX-color	1506A	RG59P	25819	VPM2000TS
RG6 SD or Analog Video	RG-6/HDTV	18-CMR-SD-color	1694A	RG6	6350	VSD2001
RG6 SD or Analog Video Plenum	RG-6/HDTV/Plenum	18-CMP-VID-COAX-color	1695A	RG6P	256350	VSD2001TS
RG59 CCTV, Non-Plenum	RG-59	RG59-CCTV	1426A	N/A	N/A	N/A
RG6 Long RF runs	RG-6U	RG6-CM-BLK	9116	N/A	6100	N/A
RG6 Long runs, Plenum	RG-6U/CCS/Plenum	RG6-P-CATV	9116P	N/A	N/A	N/A
RG6, Quad Shield	RG-6QS/CCS	Quadflex	5339Q5	N/A	6300	VB18Q
RG6, Quad Shield, Plenum	RG-6QS/BC/Plenum	RG6-Quad-CMP-color	6339Q8	N/A	N/A	VB18QTS
Automation Cable						
Automation Control 22/2SH + 18/2	Control Yellow	AXLINK	1502R	CTL	N/A	18/22AXL
Auto. Cntrl Plenum 22/2SH + 18/2	Control Yellow/Plenum	AXLINK-P	1502P	CTLP	N/A	18/22AXLP

Any Questions? We're Here to Help.

Locations



Los Angeles Headquarters

1521 Pontius Ave.

Los Angeles, CA 90025

Phone: (310) 444-1950

Fax: (310) 444-1966

Hours: Mon-Fri 8:30AM - 5:00PM PST




West Coast Warehouse

(Los Angeles Metro Area)

24700 South Main St.

Carson, CA 90745

Hours: Mon-Fri 8:30AM - 5:00PM PST



East Coast Warehouse

(Atlanta Metro Area)

2750 Barrett Lakes Blvd.

Kennesaw, GA 30144

Hours: Mon-Fri 8:30AM - 5:00PM EST

Our Team

Brian Rizzo *President*

brian@icecable.com

Bob Neyens *Sales Manager*

bob@icecable.com

Zhar Ollesca *Inside Sales*

zhar@icecable.com

Sandra Eslava *Inside Sales*

sandra@icecable.com

Tony De La Torre *SoCal Sales*

tony@icecable.com

Aviva Sterns *Purchasing*

aviva@icecable.com

Alena Borisova *Accounting*

alena@icecable.com

Will Cabral *Graphic Design*

will@icecable.com

Richard Jones *Website*

richard@icecable.com

Website

www.icecable.com

To Place Orders

orders@icecable.com

Sales Inquiries

sales@icecable.com



For More Information Call
(310) 444-1950

CABLE. DONE RIGHT.



Stunning Innovations in Bulk Cable, HDMI and Connectors.

Everyone wants to use the good stuff on their jobs and when it comes to Bulk Cable, HDMI Cables and Connectors, we build world-class products. The best part is that this is one of those rare times when you get to have the good stuff and pay about the same as the generic stuff. Better products, one-stop-shopping and amazing service make ICE the obvious choice. Take a look through our catalog - we think you'll like what you see.